

# CATALOGUE FACTOR VISTA



[www.FactorVista.com](http://www.FactorVista.com)  
Digital Frames for Photos, Images and Videos

<b>DIGITAL FRAMES</b>	<b>Page 2</b>
Digital Frame FV-3.5Li	Page 2
Digital Frame FV-3.5Lu	Page 4
Digital Frame FV-7Pa	Page 6
Digital Frame FV-7Pb	Page 8
Digital Frame FV-7B	Page 10
Digital Frame FV-7G	Page 12
Digital Frame FV-8Wa	Page 14
Digital Frame FV-8Wb	Page 16
Digital Frame FV-8Wh	Page 18
Digital Frame FV-8Wm	Page 20
<b>MINI DIGITAL FRAMES</b>	<b>Page 22</b>
Mini Digital Frame FV-3.5Wal	Page 22
Mini Digital Frame FV-2.4Sa	Page 22
Mini Digital Frame FV-2.4Sb	Page 22
Mini Digital Frame FV-2.4Ht	Page 23
<b>DIGITAL KEYCHAINS</b>	<b>Page 25</b>
Digital Keychain FV-1.5M	Page 25
Digital Keychain FV-1.1Re	Page 25
Digital Keychain FV-1.1Bl	Page 25
Digital Keychain FV-1.1Sw	Page 26
<b>ACCESSORIES FOR DIGITAL FRAMES</b>	<b>Page 28</b>

---

**DIGITAL FRAME FV-3.5Li**

---

**52 €****PHYSICAL PARAMETERS**

<b>Screen</b>	3.5" TFT LCD.
<b>Active Area</b>	112.3 mm x 84.2 mm
<b>Size</b>	122 mm x 92 mm x 16 mm
<b>Weight</b>	430 g
<b>Case</b>	Plastic with transparent acrylic frame.

**FUNCTION PARAMETERS**

<b>Resolution</b>	320 x RGB x 240
<b>Brightness</b>	High brightness colour screen (300cd/m2).
<b>Contrast Ratio</b>	300:1
<b>Aspect Ratio</b>	16:9
<b>Pixel Pitch</b>	0.107 mm x 0.372 mm
<b>View Angle</b>	+ / - 45 degree.
<b>Video Function</b>	No
<b>Audio Function</b>	Built-in audio stereo speaker.
<b>Operation Temperature</b>	0 degree / + 60 degree.

**FILE FORMATS**

<b>Image</b>	JPEG / BMP
<b>Audio</b>	MP1/2/3
<b>Video</b>	No

**DATA ACCESS**

<b>Internal Memory</b>	Internal 16-32MB Flash memory.
<b>Memory Card Compatibility</b>	MS, SD, MMC formats (up to 2GB).
<b>USB Port</b>	USB 2.0
<b>WI-FI Capability</b>	No
<b>Network Access</b>	No

**OTHER PARAMETERS**

<b>Control</b>	3 function buttons on body.
<b>Power Supply</b>	DC power - 5V, 1A. No battery.
<b>Power Consumption</b>	15W
<b>Languages</b>	Multilanguage.
<b>Customization Options</b>	Diverse accessories and electronic devices.
<b>Mounting Options</b>	Mounting hardware for tabletop use.
<b>Accessories</b>	Adaptor, user manual, cable and connections.
<b>Other Features</b>	Programmable alarm, clock, calendar and backlight adjustment, and diverse browse and display functions with multiple transitional effects and features.

---

**DIGITAL FRAME FV-3.5Lu**

---



**56 €**

**PHYSICAL PARAMETERS**

<b>Screen</b>	3.5" TFT LCD.
<b>Active Area</b>	112.3 mm x 84.2 mm
<b>Size</b>	122 mm x 92 mm x 16 mm
<b>Weight</b>	430 g
<b>Case</b>	Plastic with transparent frame.

**FUNCTION PARAMETERS**

<b>Resolution</b>	320 x RGB x 240
<b>Brightness</b>	High brightness colour screen (300cd/m2).
<b>Contrast Ratio</b>	300: 1
<b>Aspect Ratio</b>	16:9
<b>Pixel Pitch</b>	0.107 mm x 0.372 mm
<b>View Angle</b>	+ / - 45 degree.
<b>Video Function</b>	No
<b>Audio Function</b>	Internal audio speaker.
<b>Operation Temperature</b>	0 degree / + 60 degree.

**FILE FORMATS**

<b>Image</b>	JPEG / BMP
<b>Audio</b>	MP1/2/3
<b>Video</b>	No

**DATA ACCESS**

<b>Internal Memory</b>	No
<b>Memory Card Compatibility</b>	MS, SD, MMC (up to 2GB).
<b>USB Port</b>	USB 2.0
<b>WI-FI Capability</b>	No
<b>Network Access</b>	No

**OTHER PARAMETERS**

<b>Control</b>	4 external control buttons.
<b>Power Supply</b>	DC power - 5V, 1A. No battery.
<b>Power Consumption</b>	15W
<b>Languages</b>	Multilanguage.
<b>Customization Options</b>	Optional accessories and electronic parts and functions.
<b>Mounting Options</b>	Ready-to-use mounting hardware for tabletop display.
<b>Accessories</b>	Electric cord adapter, connections, USB cable and user's manual.
<b>Other Features</b>	Built-in alarm, clock and calendar with adjustable backlight function; picture browse and display, including easy-to-use visual and transitional effects.

---

**DIGITAL FRAME FV-7Pa**

---

**79 €****PHYSICAL PARAMETERS**

<b>Screen</b>	7" Active Matrix TFT LCD.
<b>Active Area</b>	154.08 mm x 86.58 mm
<b>Size</b>	237 mm x 173 mm x 34 mm
<b>Weight</b>	440 g
<b>Case</b>	ABS plastic with transparent frame.

**FUNCTION PARAMETERS**

<b>Resolution</b>	480 x RGB x 234
<b>Brightness</b>	High brightness color screen (350cd/m2).
<b>Contrast Ratio</b>	300:1
<b>Aspect Ratio</b>	16:9
<b>Pixel Pitch</b>	0.107 mm x 0.370 mm
<b>View Angle</b>	+ / - 45 degree.
<b>Video Function</b>	NTSC/PAL. TV output slot supporting CVBS/S Video output.
<b>Audio Function</b>	Built-in double audio stereo speakers.
<b>Operation Temperature</b>	- 5 degree / + 40 degree.

**FILE FORMATS**

<b>Image</b>	JPEG / BMP
<b>Audio</b>	MP1/2/3
<b>Video</b>	DAT, MPEG1/2/3/4, VOB, Divx, MP4 and AVI files.

**DATA ACCESS**

<b>Internal Memory</b>	Built-in 16-32MB Flash memory.
<b>Memory Card Compatibility</b>	CF, MS, SD, MMC, MS, XD and DF cards.
<b>USB Port</b>	USB 1.1
<b>WI-FI Capability</b>	No
<b>Network Access</b>	No

**OTHER PARAMETERS**

<b>Control</b>	Autoplay, external buttons and infrared remote control.
<b>Power Supply</b>	AC power. No battery required. Input: 90-250V / Output: 12V/1.2 At.
<b>Power Consumption</b>	15W
<b>Languages</b>	Multilanguage.
<b>Customization Options</b>	Matboard and electronic accessories (memory cards, etc).
<b>Mounting Options</b>	Adjustable stand and wall mount holes.
<b>Accessories</b>	Electric adaptor, user manual, cable and connections, and remote control.
<b>Other Features</b>	Clock, alarm and calendar functions; automatic power on/off; easy-to-use menu offering image browse, rotation and zoom options; transitional and background music effects.

---

**DIGITAL FRAME FV-7Pb****65 €****PHYSICAL PARAMETERS**

<b>Screen</b>	7" Active Matrix LCD-TFT.
<b>Active Area</b>	154.08 mm x 86.58 mm
<b>Size</b>	237 mm x 173 mm x 34 mm
<b>Weight</b>	410 g
<b>Case</b>	ABS Plastic / Undulating transparent frame.

**FUNCTION PARAMETERS**

<b>Resolution</b>	234 x RGB x 480
<b>Brightness</b>	High brightness colour screen (300cd/m2).
<b>Contrast Ratio</b>	300:1
<b>Aspect Ratio</b>	16:9
<b>Pixel Pitch</b>	0.107 mm x 0.370 mm
<b>View Angle</b>	+ / - 45 degree.
<b>Video Function</b>	NTSC/PAL. TV output slot for CVBS/S Video output.
<b>Audio Function</b>	Onboard double audio stereo speakers.
<b>Operation Temperature</b>	- 5 degree / + 40 degree.

**FILE FORMATS**

<b>Image</b>	JPEG / BMP
<b>Audio</b>	MP1/2/3
<b>Video</b>	DAT, MPEG1/2/3/4, VOB, Divx, MP4 and AVI.

**DATA ACCESS**

<b>Internal Memory</b>	16-32MB Flash memory.
<b>Memory Card Compatibility</b>	CF, MS, SD, MMC, MS, XD and DF formats.
<b>USB Port</b>	USB 1.1
<b>WI-FI Capability</b>	No
<b>Network Access</b>	No

**OTHER PARAMETERS**

<b>Control</b>	Infrared remote control, external buttons and autoplay.
<b>Power Supply</b>	AC power. Input: 90-250V / Output: 12V/1.2 At. No battery required.
<b>Power Consumption</b>	15W
<b>Languages</b>	Multilanguage.
<b>Customization Options</b>	Electronic accessories (cords, adaptors, memory cards, etc).
<b>Mounting Options</b>	Mounting hardware for wall or tabletop use.
<b>Accessories</b>	Adaptor, user manual, cable and connections, and infrared remote control.
<b>Other Features</b>	Time, alarm and calendar; pictures zoom, rotation and browse; interesting transitional and sound effects when displaying images and videos; and programmable automatic power on/off functions.

---

**DIGITAL FRAME FV-7B****84 €****PHYSICAL PARAMETERS**

<b>Screen</b>	7" Active Matrix TFT LCD.
<b>Active Area</b>	154 mm x 87 mm
<b>Size</b>	225 mm x 160 mm x 32 mm
<b>Weight</b>	455 g
<b>Case</b>	ABS plastic.

**FUNCTION PARAMETERS**

<b>Resolution</b>	480 x RGB x 234
<b>Brightness</b>	High brightness colour screen (300cd/m2).
<b>Contrast Ratio</b>	300: 1
<b>Aspect Ratio</b>	16:9
<b>Pixel Pitch</b>	0.107 mm x 0.372 mm
<b>View Angle</b>	+ / - 45 degree.
<b>Video Function</b>	NTSC/PAL. TV output slot for CVBS/S video output.
<b>Audio Function</b>	Internal double audio stereo speakers.
<b>Operation Temperature</b>	0 degree / + 60 degree.

**FILE FORMATS**

<b>Image</b>	JPEG / BMP
<b>Audio</b>	MP1/2/3
<b>Video</b>	WMV, DAT, MPEG1/2/3/4, VOB, Divx, MP4, Divx and AVI.

**DATA ACCESS**

<b>Internal Memory</b>	16-32MB Flash memory.
<b>Memory Card Compatibility</b>	CF, MS, SD, MMC, MS, XD and DF format.
<b>USB Port</b>	USB 2.0
<b>WI-FI Capability</b>	No
<b>Network Access</b>	No

**OTHER PARAMETERS**

<b>Control</b>	Function buttons on body, remote controller and auto play.
<b>Power Supply</b>	AC power. Input: 90-250V / Output: 12V/1.2 At. No battery required.
<b>Power Consumption</b>	15W
<b>Languages</b>	Multilanguage.
<b>Customization Options</b>	Multiple electronic accessories and devices.
<b>Mounting Options</b>	Ready-to-use hardware for tabletop use, with optional wall mount holes.
<b>Accessories</b>	Adaptor, manual, connections and USB cable, and infrared controller.
<b>Other Features</b>	Alarm, clock, calendar; auto power-off/-on; picture rotation, browse and zoom function, slideshow with multiple transitional effects and music background sets up.

---

**DIGITAL FRAME FV-7G****84 €****PHYSICAL PARAMETERS**

<b>Screen</b>	7" Active Matrix TFT LCD.
<b>Active Area</b>	154 mm x 87 mm
<b>Size</b>	225 mm x 160 mm x 32 mm
<b>Weight</b>	455 g
<b>Case</b>	ABS plastic.

**FUNCTION PARAMETERS**

<b>Resolution</b>	480 x RGB x 234
<b>Brightness</b>	High brightness colour screen (300cd/m2).
<b>Contrast Ratio</b>	300: 1
<b>Aspect Ratio</b>	16:9
<b>Pixel Pitch</b>	0.107 mm x 0.372 mm
<b>View Angle</b>	+ / - 45 degree.
<b>Video Function</b>	NTSC/PAL. TV output slot for CVBS/S video output.
<b>Audio Function</b>	Internal double audio stereo speakers.
<b>Operation Temperature</b>	0 degree / + 60 degree.

**FILE FORMATS**

<b>Image</b>	JPEG / BMP
<b>Audio</b>	MP1/2/3
<b>Video</b>	WMV, DAT, MPEG1/2/3/4, VOB, Divx, MP4, Divx and AVI.

**DATA ACCESS**

<b>Internal Memory</b>	16-32MB Flash memory.
<b>Memory Card Compatibility</b>	CF, MS, SD, MMC, MS, XD and DF format.
<b>USB Port</b>	USB 2.0
<b>WI-FI Capability</b>	No
<b>Network Access</b>	No

**OTHER PARAMETERS**

<b>Control</b>	Infrared remote controller, external function buttons and auto play.
<b>Power Supply</b>	AC power. Input: 90-250V / Output: 12V/1.2 At. No battery required.
<b>Power Consumption</b>	15W
<b>Languages</b>	Multilanguage.
<b>Customization Options</b>	Diverse optional accessories and electronic devices.
<b>Mounting Options</b>	Adjustable stand for desktop and optional hardware for wall use.
<b>Accessories</b>	TV and video adaptor, USB cable, user manual and remote controller.
<b>Additional Features</b>	Programmable time, calendar and alarm functions, including automatic on/off functions; image rotation, browse and zoom, and diverse transitional effects, music background and many other features.

---

**DIGITAL FRAME FV-8Wa**

---



**139 €**

**PHYSICAL PARAMETERS**

<b>Screen</b>	8" Active Matrix TFT LCD.
<b>Active Area</b>	154.08 mm x 86.58 mm
<b>Size</b>	278 mm x 234 mm x 80 mm
<b>Weight</b>	620 g
<b>Case</b>	Acrylic plastic frame.

**FUNCTION PARAMETERS**

<b>Resolution</b>	800 x RGB x 600
<b>Brightness</b>	High brightness colour screen (300cd/m2).
<b>Contrast Ratio</b>	300: 1
<b>Aspect Ratio</b>	16:9
<b>Pixel Pitch</b>	0.107 mm x 0.372 mm
<b>View Angle</b>	+ / - 45 degree.
<b>Video Function</b>	NTSC/PAL. TV output slot for CVBS/S video output.
<b>Audio Function</b>	Double audio stereo speakers.
<b>Operation Temperature</b>	0 degree / + 60 degree.

**FILE FORMATS**

<b>Image</b>	JPEG / BMP
<b>Audio</b>	MP1/2/3
<b>Video</b>	WMV, DAT, MPEG1/2/3/4, VOB, Divx, MP4, Divx and AVI.

**DATA ACCESS**

<b>Internal Memory</b>	Optional.
<b>Memory Card Compatibility</b>	CF, MS, SD, MMC, MS, XD and DF.
<b>USB Port</b>	USB 2.0
<b>WI-FI Capability</b>	No
<b>Network Access</b>	No

**OTHER PARAMETERS**

<b>Control</b>	Autoplay, function buttons and infrared control.
<b>Power Supply</b>	AC power. Input: 90-250V / Output: 12V/1.2 At. No battery.
<b>Power Consumption</b>	15W
<b>Languages</b>	Multilanguage.
<b>Customization Options</b>	Optional complements and electronic accessories and devices.
<b>Mounting Options</b>	Adjustable hardware both for tabletop and wall.
<b>Accessories</b>	Adaptor, user manual, cable and connections.
<b>Other Features</b>	Programmable time, alarm and calendar functions; automatic power on/off; easy-to-use menu offering image browse, rotation and zoom options, including music background when displaying images and videos.

---

**DIGITAL FRAME FV-8Wb****139 €****PHYSICAL PARAMETERS**

<b>Screen</b>	8" Active Matrix TFT LCD.
<b>Active Area</b>	154.08 mm x 86.58 mm
<b>Size</b>	278 mm x 234 mm x 80 mm
<b>Weight</b>	620 g
<b>Case</b>	Acrylic plastic.

**FUNCTION PARAMETERS**

<b>Resolution</b>	800 x RGB x 600
<b>Brightness</b>	High brightness colour screen (300cd/m2).
<b>Contrast Ratio</b>	300: 1
<b>Aspect Ratio</b>	16:9
<b>Pixel Pitch</b>	0.107 mm x 0.372 mm
<b>View Angle</b>	+ / - 45 degree.
<b>Video Function</b>	NTSC/PAL. TV output / CVBS/S video output.
<b>Audio Function</b>	Internal double audio stereo speakers.
<b>Operation Temperature</b>	0 degree / + 60 degree.

**FILE FORMATS**

<b>Image</b>	JPEG / BMP
<b>Audio</b>	MP1/2/3.
<b>Video</b>	WMV, DAT, MPEG1/2/3/4, VOB, Divx, MP4, Divx and AVI.

**DATA ACCESS**

<b>Internal Memory</b>	Optional.
<b>Memory Card Compatibility</b>	CF, MS, SD, MMC, MS, XD and DF.
<b>USB Port</b>	USB 2.0
<b>WI-FI Capability</b>	No
<b>Network Access</b>	No

**OTHER PARAMETERS**

<b>Control</b>	Function buttons on body, remote controller and auto play.
<b>Power Supply</b>	DC power. Input: 90-250V / Output: 12V/1.2 At. No battery.
<b>Power Consumption</b>	15W
<b>Languages</b>	Multilanguage.
<b>Customization Options</b>	Optional accessories and electronic parts and functions.
<b>Mounting Options</b>	Hardware for tabletop use, with optional wall mount holes.
<b>Accessories</b>	Electric cord adapter, connections, USB cable and user's manual.
<b>Other Features</b>	Clock, alarm and calendar functions; automatic power on/off; easy-to-use menu offering image browse, rotation and zoom options; transitional and background music effects.

---

**DIGITAL FRAME FV-8Wh**

# 129 €

**PHYSICAL PARAMETERS**

<b>Screen</b>	8" Active Matrix TFT LCD.
<b>Active Area</b>	154.08 mm x 86.58 mm
<b>Size</b>	278 mm x 234 mm x 80 mm
<b>Weight</b>	620 g
<b>Case</b>	Plastic with transparent acrylic exterior frame.

**FUNCTION PARAMETERS**

<b>Resolution</b>	800 x RGB x 600
<b>Brightness</b>	High brightness colour screen (300cd/m2).
<b>Contrast Ratio</b>	300: 1
<b>Aspect Ratio</b>	16:9
<b>Pixel Pitch</b>	0.107 mm x 0.372 mm
<b>View Angle</b>	+ / - 45 degree.
<b>Video Function</b>	NTSC/PAL. TV output slot for CVBS/S video output.
<b>Audio Function</b>	Built-in double audio stereo speakers.
<b>Operation Temperature</b>	0 degree / + 60 degree.

**FILE FORMATS**

<b>Image</b>	JPEG / BMP
<b>Audio</b>	MP1/2/3
<b>Video</b>	WMV, DAT, MPEG1/2/3/4, VOB, Divx, MP4, Divx and AVI.

**DATA ACCESS**

<b>Internal Memory</b>	Optional.
<b>Memory Card Compatibility</b>	CF, MS, SD, MMC, MS, XD and DF formats.
<b>USB Port</b>	USB 2.0
<b>WI-FI Capability</b>	No
<b>Network Access</b>	No

**OTHER PARAMETERS**

<b>Control</b>	Infrared remote control, external buttons and autoplay.
<b>Power Supply</b>	DC power. Input: 90-250V / Output: 12V/1.2 At. No battery.
<b>Power Consumption</b>	15W
<b>Languages</b>	Multilanguage.
<b>Customization Options</b>	Electronic accessories (cords, adaptors, memory cards, etc).
<b>Mounting Options</b>	Adaptable hardware for tabletop and wall use.
<b>Accessories</b>	Adaptor, manual, connections and USB cable, and infrared controller.
<b>Other Features</b>	Built-in alarm, clock and calendar with adjustable auto power-on/off; picture browse, rotation, display and zoon functions, including easy-to-use visual and transitional effects and music background.

---

**DIGITAL FRAME FV-8Wm**

---



# 139 €

**PHYSICAL PARAMETERS**

<b>Screen</b>	8" Active Matrix TFT LCD.
<b>Active Area</b>	154.08 mm x 86.58 mm
<b>Size</b>	278 mm x 234 mm x 80 mm
<b>Weight</b>	640 g
<b>Case</b>	ABS plastic with metallic finish.

**FUNCTION PARAMETERS**

<b>Resolution</b>	800 x RGB x 600
<b>Brightness</b>	High brightness colour screen (300cd/m2).
<b>Contrast Ratio</b>	300: 1
<b>Aspect Ratio</b>	16:9
<b>Pixel Pitch</b>	0.107 mm x 0.372 mm
<b>View Angle</b>	+ / - 45 degree.
<b>Video Function</b>	NTSC/PAL. TV output / CVBS/S video output.
<b>Audio Function</b>	Built-in double audio stereo speakers.
<b>Operation Temperature</b>	0 degree / + 60 degree.

**FILE FORMATS**

<b>Image</b>	JPEG / BMP
<b>Audio</b>	MP1/2/3
<b>Video</b>	WMV, DAT, MPEG1/2/3/4, VOB, Divx, MP4, Divx and AVI files.

**DATA ACCESS**

<b>Internal Memory</b>	Internal 16-32MB Flash memory.
<b>Memory Card Compatibility</b>	CF, MS, SD, MMC, MS, XD and DF formats.
<b>USB Port</b>	USB 2.0
<b>WI-FI Capability</b>	No
<b>Network Access</b>	No

**OTHER PARAMETERS**

<b>Control</b>	Function buttons on body, remote controller and auto play.
<b>Power Supply</b>	No battery. AC power. Input: 90-250V / Output: 12V/1.2 At.
<b>Power Consumption</b>	15W
<b>Languages</b>	Multilanguage.
<b>Customization Options</b>	Optional electronic accessories, complements and devices.
<b>Mounting Options</b>	Mounting hardware tabletop use and optional for wall.
<b>Accessories</b>	Adaptor, user manual, cable and connections, and infrared remote control.
<b>Other Features</b>	Alarm, clock, calendar; auto power-off/-on; picture rotation, browse and zoom function, slideshow with multiple transitional effects and music background sets up.

---

## DIGITAL FRAMES MINIATURA

---



Mini Digital Frame FV-2.4Wal

**34 €**



Mini Digital Frame FV-2.4Sa

**26 €**



Mini Digital Frame FV-2.4Sb

**26 €**

---



### Mini Digital Frame FV-2.4Ht

**26 €**

#### PHYSICAL PARAMETERS

Screen	2.4" CSTN LCD.
Active Area	24.756 mm x 27.892 mm
Size	110 mm x 98 mm x 15 mm
Weight	Around 120 g
Case	Metal, plastic and leather.

#### FUNCTION PARAMETERS

Resolution	320 x RGB x 240
Brightness	Non available.
Contrast Ratio	Non available.
Aspect Ratio	Non available.
Pixel Pitch	0.107 mm x 0.372 mm
View Angle	Non available.
Video Function	No
Audio Function	No
Operation Temperature	0 degree / + 60 degree.

#### FILE FORMATS

Image	JPG / BMP
Audio	No
Video	No

#### DATA ACCESS

Internal Memory	Internal 16MB Flash memory.
Memory Card Compatibility	No

<b>USB Port</b>	USB 2.0
<b>WI-FI Capability</b>	No
<b>Network Access</b>	No

**OTHER PARAMETERS**

<b>Control</b>	External control buttons.
<b>Power Supply</b>	Built-in 3.7V lithium battery (8-10 hours) or USB 5V supply.
<b>Power Consumption</b>	Non available.
<b>Languages</b>	Multilanguage.
<b>Customization Options</b>	No
<b>Mounting Options</b>	No
<b>Accessories</b>	User's manual, USB cable and gift box.
<b>Additional Features</b>	Image control, automatic on/off function, manual/automatic play; and programmable clock, alarm and calendar.

---

## DIGITAL KEYCHAIN

---



Digital Keychain FV-1.5M

**24 €**



Digital Keychain FV-1.1Re

**18 €**



Digital Keychain FV-1.1BI

**18 €**

---

**Digital KeychainFV-1.1Sw****18 €****PHYSICAL PARAMETERS**

<b>Screen</b>	1.5 /1.1" CSTN LCD.
<b>Active Area</b>	24.756 mm x 27.892 mm
<b>Size</b>	76 mm x 36 mm x 11 mm
<b>Weight</b>	124 g
<b>Case</b>	Metal and plastic.

**FUNCTION PARAMETERS**

<b>Resolution</b>	128 x RGB x 128
<b>Brightness</b>	Non available.
<b>Contrast Ratio</b>	Non available.
<b>Aspect Ratio</b>	Non available.
<b>Pixel Pitch</b>	0.107 mm x 0.372 mm
<b>View Angle</b>	Non available.
<b>Video Function</b>	No
<b>Audio Function</b>	No
<b>Operation Temperature</b>	0 degree / + 60 degree.

**FILE FORMATS**

<b>Image</b>	JPG / BMP
<b>Audio</b>	No
<b>Video</b>	No

**DATA ACCESS**

<b>Internal Memory</b>	Internal 8MB Flash memory.
<b>Memory Card Compatibility</b>	No
<b>USB Port</b>	USB 2.0

**WI-FI Capability** No

**Network Access** No

#### **OTHER PARAMETERS**

**Control** Menu and three control buttons.

**Power Supply** Rechargeable Lithium battery (3.7V, 240mAh) for 8-10 hours.

**Power Consumption** Non available.

**Languages** Multilanguage.

**Customization Options** No

**Mounting Options** No

**Accessories** Hand strap, USB cable and user's manual.

**Additional Features** Manual and automatic display of pictures, and programmable time, alarm and calendar functions.

---

## ACCESSORIES FOR DIGITAL FRAMES

---



### ELECTRONIC DEVICES

Electronic devices and elements for DIGITAL FRAMES, such as connections and USB devices, memory cards and adaptors, electric cords, rechargeable removable batteries, and many more complements.



### FRAMING OPTIONS

Variety of high-quality decorative and framing options for DIGITAL FRAMES enabling the adequate aspect for the integration of each model into the specific decorative environment at home or office.



### MOUNTING BRACKETS

Mounting solutions specially designed for DIGITAL FRAMES, offering flexibility and stability when necessary with independence of the location of the model and its decorative environment.